




Equipment Trailer



MODELS: E720-TD

Standard Features

- ❖ 12,000 lbs. GVWR
- ❖ 7' Bed width
- ❖ 20' Length
- ❖ (2) 6,000 lb Straight, Dexter E-Z Lube
- ❖ 225/75/R15 Radial Tires, 6 lug Mod Wheel
- ❖ 8 Ply Tire, Load Range D
- ❖ Electric Brakes on Each Axle with Breakaway
- ❖ 6 Leaf Slipper Springs
- ❖ 12,000 lb Jack
- ❖ 14K 2 5/16" Hitch Coupler
- ❖ 5" Channel Chassis
- ❖ 5" Structural Channel Wrapped Tongue
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM Requirements


Built By: 

615-223-6500

1169 S. Main Street, Eagleville, TN 37060



Car Hauler



MODELS: C720-TD

Standard Features

- ❖ 7000 lbs. GVWR
- ❖ 7' Bed width
- ❖ 20' Lengths
- ❖ (2) 3,500 lb Straight, Dexter E-Z Lube
- ❖ 205/75/R15 Radial Tires, 5 lug Mod Wheel
- ❖ 6 Ply Tire, Load Range C
- ❖ Electric Brakes with Breakaway
- ❖ 5 Leaf Slipper Springs
- ❖ 5,000 lb Jack
- ❖ 14K 2 5/16" Hitch Coupler
- ❖ 5" Channel Chassis
- ❖ 5" Structural Channel Wrapped Tongue
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM Requirements

Built By:




615-223-6500

1169 S. Main Street, Eagleville, TN 37060



Utility Trailer



MODEL: U616-TD

Standard Features

- ❖ 7,000 lbs. GVWR
- ❖ 6'4" Bed width
- ❖ 16' Length
- ❖ (2) 3,500 lb Straight, Dexter E-Z Lube
- ❖ 205/75/R15 Radial Tires, 5 lug Mod Wheel
- ❖ 6 Ply Tire, Load Range C
- ❖ Electric Brakes with Breakaway
- ❖ 4 Leaf Slipper Springs
- ❖ 5,000 lb Jack
- ❖ 5K 2" Adjustable Hitch Coupler
- ❖ 2" X 3" Angle Chassis
- ❖ 4" Structural Channel Wrapped Tongue
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM Requirements

Built By:



615-223-6500
1169 S. Main Street, Eagleville, TN 37060



MODEL: U614-T/U616-T

Standard Features

- ❖ 7,000 lbs. GVWR
- ❖ 6' 4" Bed width
- ❖ 14' and 16' Lengths
- ❖ (2) 3,500 lb Straight, Dexter E-Z Lube
- ❖ 205/75/R15 Radial Tires, 5 lug Mod Wheel
- ❖ 6 ply Tire, Load Range C
- ❖ Electric Brakes with Breakaway
- ❖ 4 Leaf Slipper Springs
- ❖ 5,000 lb Jack
- ❖ 5K 2" Adjustable Hitch Coupler
- ❖ 2" X 3" Angle Chassis
- ❖ 4" Structural Channel Wrapped Tongue
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM Requirements

Built By:



615-223-6500
1169 S. Main Street, Eagleville, TN 37060



Utility Trailer



MODELS: U612-DS, U614-DS

Standard Features

- ❖ 3,500 lbs. GVWR
- ❖ 6' 4" Bed Width
- ❖ 12' and 14' Lengths
- ❖ 3,500 lb Straight, Dexter E-Z Lube
- ❖ 205/75/R15 Radial Tires, 5 lug Mod Wheel
- ❖ 6 Ply Tire, Load Range C
- ❖ Lay Flat Rear Gate
- ❖ 4 Leaf Slipper Springs
- ❖ 5,000 lb Jack
- ❖ 5K 2" Adjustable Hitch Coupler
- ❖ 2" x 3" Angle Chassis
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM requirements

Built By: 

615-223-6500

1169 S. Main Street, Eagleville, TN 37060



Utility Trailer



MODEL: U612-S/U614-S

Standard Features

- ❖ 3,500 lbs. GVWR
- ❖ 6' Bed width
- ❖ 12' Length
- ❖ 3,500 lb Straight, Dexter E-Z Lube
- ❖ 205/75/R15 Radial Tires, 5 lug Mod Wheel
- ❖ 6 ply Tire, Load Range C
- ❖ Lay Flat Rear Gate
- ❖ 4 Leaf Slipper Springs
- ❖ 5,000 lb Jack
- ❖ 5K 2" Hitch Coupler
- ❖ 2" X 3" Angle Chassis
- ❖ 4" Structural Channel Wrapped Tongue
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM Requirements

Built By:



615-223-6500

1169 S. Main Street, Eagleville, TN 37060



Utility Trailer



MODEL: U510-DS

Standard Features

- ❖ 2,200 lbs. GVWR
- ❖ 5' Bed Width
- ❖ 10' Length
- ❖ 2,200 lb Straight, Rockwell E-Z Lube
- ❖ 205/75/R15 Radial Tires, 5 lug Mod Wheel
- ❖ 6 Ply Tire, Load Range C
- ❖ Lay Flat Rear Gate
- ❖ 3 Leaf Slipper Springs
- ❖ 5,000 lb Jack
- ❖ 5K 2" Adjustable Hitch Coupler
- ❖ 2" x 3" Angle Chassis
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM Requirements

Built By: 

615-223-6500

1169 S. Main Street, Eagleville, TN 37060



Utility Trailer



MODEL: U510-S

Standard Features

- ❖ 2,200 lbs. GVWR
- ❖ 5' Bed width
- ❖ 10' Length
- ❖ 2,200 lb Straight, Rockwell E-Z Lube
- ❖ 205/75/R15 Radial Tires, 5 lug Mod Wheel
- ❖ 6 ply Tire, Load Range C
- ❖ Lay Flat Rear Gate
- ❖ 3 Leaf Slipper Springs
- ❖ 5,000 lb Jack
- ❖ 5K 2" Adjustable Hitch Coupler
- ❖ 2" X 3" Angle Chassis
- ❖ Pressure Treated Decking
- ❖ Meets all DOT & NATM Requirements

Built By: 

615-223-6500

1169 S. Main Street, Eagleville, TN 37060